




FIGURE 1



100% 90% 80% 70% 60% 50% 40% 30% 20% 10% 0%
 0.00 0.25 0.50 0.75 1.00 1.25 1.50 1.75 2.00 2.25 2.50




Patient: Kist, Patricia
 Cumulative Energy Values

BEST AVAILABLE COPY

FIGURE 2

69 microns = 55.2 microns = 41.4 microns = 27.6 microns = 13.8 microns = 0 microns =



69 microns =

55.2 microns =

41.4 microns =

27.6 microns =

13.8 microns =

0 microns =

BEST AVAILABLE COPY

Patient: Kist, Patricia
Tissue Ablation Values

FIGURE 3

Figure 4 shows the relationship between the radiant exposure and the corneal ablation rate for a 193 nm excimer laser. The ablation rate increases with increasing radiant exposure, reaching a maximum of approximately 1.45 $\mu\text{m/pulse}$ at 500 mJ/cm^2 .

FIGURE 4





FIGURE 4



BEST AVAILABLE COPY

FIGURE 5

1. The first of the two objects is a small, dark, irregularly shaped object, possibly a piece of debris or a small animal, located in the upper left quadrant of the image. It is surrounded by a dark, textured background.



2. The second object is a larger, more complex shape, possibly a piece of equipment or a container, located in the lower right quadrant of the image. It has a dark, textured surface and a light-colored, oval-shaped feature on its left side. It is surrounded by a dark, textured background.

BEST AVAILABLE COPY

FIGURE 6

FIGURE 7

FIGURE 7




FIGURE 7

Handwritten text, likely bleed-through from the reverse side of the page, oriented vertically.




FIGURE 8







FIGURE 9